## 2014 Latest Oracle 1Z0-151 Exam Dump Free Download!

QUESTION 1 You want to display employee records in tabular format, but the form is not wide enough to display all the items in the Employees block. The employee IDs and names of displayed records should always be visible, but you want to scroll the additional information as users tab through the Items, the form should look like a spreadsheet with the first two columns frozen. Which canvas types would be most appropriate in this scenario? A. content canvas in a window with a horizontal scroll bar B. content canvas and multiple tab canvases C. content canvas and a tab canvas with multiple tab pages D. content canvas and a stacked canvas with a horizontal scroll bar E. multiple content canvases Answer: C Explanation: After an entity is divided into groups, if all groups cannot be displayed simultaneously, it becomes necessary for two or more regions to be displayed in the exact same space, one at a time, using a Tab control. The user can jump to a specific region by selecting a tab or by progressing continuously through all fields of all Tab regions. A set of fields, minimally the primary key fields, should remain visible so the user can maintain context at all times. There, "frozen" fields must be placed inside the Tab control on the left side. When best to use Tab regions: \* When the user must see all fields of a record in a single window, but they do not need to see them all simultaneously. entire regions need to be hidden from a user due to security restrictions, the current state of data, or other product installations.QUESTION 2 You have created a complex menu structure with several types of menu objects. To which objects would you assign menu commands? A. main menus B. individual menus C. submenus D. menu items E. all of the above Answer: E The Menu Editor is a graphical design facility for laying out, modifying, and viewing menu modules and their objects. You can use the Menu Editor to carry out all of your menu design work. Note: To use the Menu Editor to create a basic structure for your menu, perform the following steps: 1. With the SUMMIT MENU module selected, perform one of the following actions to invoke the Menu Editor: Double-click the icon to the left of the module Right-click the module and select Select Tools > Menu Editor from the Forms Builder menu 2. When you invoke the Menu Editor, it automatically creates the main menu and one menu item. The main menu is the menu whose items, which can be menu items or submenus, show in the menu bar when you run a form. In the Object Navigator, change the name of the main menu to MAIN\_MENU in the same way that you changed the name of the menu module. 3. In the Object Navigator, change the name of the menu item to File. 4. Note that the item's display label in the Menu Editor remains the same. The label is the text that is displayed for the menu item at run time. The label may differ from the name. You use the name programmatically, and it must follow PL/SQL naming conventions. Change the label of the menu item by double-clicking <New Item> in the Menu Editor and typing the new label of File. Create two menu items under File. In the Menu Editor, select File, then click Create Down twice. 6. In the Menu Editor, relabel the menu items to Save and Exit. Note that creating menu items under the File object creates a FILE MENU object as a menu with two items under it. Also, when you relabel the items in the Menu Editor, the names of the items, as shown in the Object Navigator, also change. 7. Create another submenu of the main menu and label it Edit by performing the following steps: Menu Editor, select the File node. Click Create Right. Relabel the new menu Edit. 8. In a similar fashion to the way you created the File menu items, create two items for the Edit menu labeled Copy and Paste. 9. You can also use the Object Navigator Under the Edit\_Menu in the Object Navigator, select the Items node and click Create. as you did with other items, relabel the new item in the Menu Editor with the label Cut, which also renames it in the Object Reference: Creating Oracle Forms Menus QUESTION 3 To avoid overloading the database during busy times, you decide to restrict the queries that are executed on the Orders form so that users query by either Order ID or Customer ID during these times. Which trigger is most appropriate for the code to enforce this restriction? A. When-New-Form-instance B.\preceq#160;\prec D. Pre-Query E. Post-Query Answer: D Explanation: with Pre-Query and Post-Query triggers The Pre-Query and Post-Query triggers allow control over query processing. They can be defined at the form or block level. Most often, attach them to specific blocks to control the query functionality of those blocks. The Pre-Query trigger fires just before Form Builder issues the SELECT statement to the database, after the operator has defined the example record by entering query criteria in Enter Ouery mode. Inside a Pre-Ouery trigger, the example record defined by the query criteria is the current record. This means that trigger code can read and set the values of items in the example record using standard:block\_name.item\_name syntax. A Pre-Query trigger can be used to disallow query conditions that might be invalid. When a form is in Enter Query mode, normal validation is suspended and no validation triggers fire as they do in Normal mode. The Pre-Query trigger thus allows you to verify that any values entered by the operator are valid query conditions.

conditions have been entered, you can abort the query by raising the FORM\_TRIGGER\_FAILURE built-in exception in the You can also call SET\_BLOCK\_PROPERTY to modify the block's WHERE and ORDER BY clauses from within the Pre-Query trigger, to further restrict or order the records the query will retrieve. QUESTION 4 A clerk is using the Human Resources form, which displays a department and its associated employees on the same canvas. Only two Items in the form Possible navigation units that can occur during navigation of this form are: 1. Outside the form 3. The Departments block 4. The Employees block 5. The current Departments record 6. The current Employees record 7. The Department Id item 8. The Employee Id item With the cursor in : Departments. Department Id, the clerk clicks the :Employees.Employee Id item. What is the sequence of navigational unit movement that occurs? D. 7, 5, 3, 4, 6, and 8 only E. 7 and 8 only Answer: D 3, 2, 4, 6, and 8 only QUESTION 5 You want to use WebUtil functionality in the Orders form. What three things must you do to integrate WebUtil into the Orders Form? A. Copy the WebUtil object group from the WebUtil object library into a separate object library. B. Subclass the WebUtil object group from the WebUtil object library into the Orders form. C. Ensure that the WebUtil block is the last block under the Data Blocks node in the Object Navigator. D. Ensure that the WebUtil block is the first block under the Data Blocks node in the Object Navigator. E. Attach the WebUtil library to the Orders form. F. Copy the WebUtil library to the same directory as the Orders form. G. in the When-New-Form-instance trigger, register the WebUtil javaBeans. H. Set the Implementation Class Property for any items that will implement WebUtil JavaBeans. Answer: BCE Explanation: Integrating WebUtil into a Form Step 1: Attaching the WebUtil Library (E) the functions of WebUtil in a Forms application, you must first attach the webutil.pll library to any module that will use the WebUtil PL/SQL API. Select the Attached Libraries node in the Orders form and click Create. This invokes the Attach Library dialog box, in which you can browse to the location of webutil.pll Step 2: Subclassing WebUtil Forms Objects (B) Part of the WebUtil utility is a set of Forms objects contained in webutil.olb This object library contains an object group called WebUtil, which you can subclass into your form. C: A data block named WEBUTIL; ensure that this is the last block in the Navigator. Oracle Fusion Middleware 11g, Build Applications with Oracle Forms, Integrating WebUtil into a Form QUESTION 6 Iin an Order Entry form, the Order Items block has a text item called Shipping Date, which is of the Date data type. The Lowest Allowed Value and the Highest Allowed Value properties are not defined for this item. Assuming that the following are defined, which three are valid settings for the initial Value = property of the Shipping Date Item? A. \$\$DBDATE\$\$ B. Crders.Order Date + 3 C. C. SYSDATE D. D.& Answer: ACD Explanation: A: Use \$\$DATE\$\$, \$\$DATETIME\$\$, and \$\$TIME\$\$ to obtain the local system date/time; use \$\$DBDATE\$\$. \$\$DBDATETIME\$\$, and \$\$DBTIME\$\$ to obtain the database date/time, which may differ from the local system date/time when, for example, connecting to a remote database in a different time zone. ,, Use these variables only to set the value of the Initial Value, Highest Allowed Value or Lowest Allowed Value property. Passing your Oracle 120-151 Exam by using the latest 1Z0-151 Exam Dump Full Version: http://www.braindump2go.com/1z0-151.html