2014 Latest Oracle 1Z0-046 Exam Dump Free Download!

QUESTION 1 View the Exhibit. Which two statements are true about the output of the cat /proc/partitions command? (Choose

A. The hard disk has four partitions. B. The hard disk has six partitions. D. The major column shows the C. The swap partition is not shown in the output. device number with partitions. E. The #blocks column shows the number of inode blocks in that partition. Answer: ADQUESTION 2 You find that oracleasm scandisks command is not discovering all your ASM disks. Which tool or utility can provide you details about what SCANDISKS is doing? A. strace utility B. OS Watcher (OSW) C. System Activity Reporter (sar) D. Remote Diagnostics Agent (RDA) Answer: A QUESTION 3 Which two statements are correct about the DB_WRITER_PROCESSES initialization parameter? (Choose two.) A. The default value for DB WRITER PROCESSES is (CPU COUNT+7)/8. B. Wou set DB_WRITER_PROCESSES to greater than one to simulate asynchronous input/output (I/O). C. You cannot set DB_WRITER_PROCESSES to greater than one if asynchronous I/O is enabled for the D. You cannot set DB_WRITER_PROCESSES to greater than one if the DBWR_IO_SLAVES initialization parameter is set to greater than zero. E. You must set an appropriate value for the LOG_PARALLELISM initialization parameter before modifying the default value for DB_WRITER_PROCESSES. Answer: AD QUESTION 4 Which two statements are true regarding the Automatic Storage Management (ASM) instance created on a Linux machine? (Choose two.) A. You can allocate only a whole disk for ASM. B. You can perform an RMAN backup of the ASM disks. C. You cannot change the redundancy of the diskgroups. D. You can have only one ASM instance on one Linux machine. Answer: CD QUESTION 5 Given below are the configuration changes done to set a hard limit for system resources: limit.conf file in the /etc/security directory. 2) Edit the .bash profile file. 3) Edit the login file in the /etc/pam.d directory. Issue the ulimit command. Identify the steps that are required. A. 1, 2, 3, 4 B. #160; 1 C. and 3; 2 and 4 not required D. and 4; 1 and 3 and 2; 3 and 4 not required not required Answer: C QUESTION 6 Which statement correctly describes the relationship between the DB_WRITER_PROCESSES initialization parameter and I/O slaves that are enabled in the Oracle database instance? A. Setting DB_WRITER_PROCESSES to more than one reduces DBWR_IO_SLAVES to one. B. Enabling I/O slaves forces the value of the DB WRITER PROCESSES parameter to be set to one. C. Each DBWR process uses a single I/O slave when DB WRITER PROCESSES is set to more than one. D. The database performance is directly proportional to the number of I/O slaves when DB WRITER PROCESSES is set to more than one. Answer: B QUESTION 7 View the Exhibit. Examine the highlighted entry (root@incq101f: in the /etc/fstab file. Which two statements are true about this entry? (Choose two.)

A. The entry sets the size of the shared memory segment. B. The entry creates a shared memory file system on /dev/shm. C. The entry enables bigpages for the shared memory file system. D. When a database instance is started with the extended buffer cache enabled, then /dev/shm corresponds to the database buffer cache. Answer: BD QUESTION 8 Which command can you execute to display the statistics of total memory, swap usage, and adjustments to free and used memory? A. #160; *#160;

Braindump2go.cor

A. The command output is stored in the pmon.txt file. B. The command shows all the processes running on the machine. C. The command appends the pmon.txt file with the output of the D. The command shows only those processes that contain the text pmon running on your E. The logs generated while executing the command will be stored in the pmon.txt file. Answer: machine. You executed the following command on a Linux machine: \$ cat /proc/slabinfo | grep kio kiocb 66080 66080 96 1652 1652 1 : 252 126 kiobuf 236 236 64 4 4 1 : 252 126 describes the purpose of executing the command? A. to check the virtual memory usage in the Linux system B. to compare the I/O statistics of different channels in the system C. to check whether the asynchronous I/O is working in the Linux system D. to check whether multiple data bus adapters are being used in the Linux system E. to check whether the shared memory file system is being used in the Linux system Answer: C QUESTION 12 You installed ASMLib software on your Linux machine successfully. The disk had two partitions. You repartitioned the disk and created a single, whole disk partition, and then performed the following operations for making the ASM disk available for an ASM instance: 1) Create an ASM disk by using the oracleasm script with the 2) Execute the oracleasm script with the scandisk argument. 3) Execute the oracleasm script with createdisk argument. configure and enable arguments. 4) Execute the partprobe command. Which is the correct sequence of performing these operations? A. 4, 1, 3, 2 B. 3, 2, 1, 4 C. 2, 4, 3, 1 D. 4, 3, 1, 2 Answer: D QUESTION 13 In an online transaction processing (OLTP) database, a large number of concurrent users are performing small transactions on a specific schema. You observe the statistics and find that total_waits for buffer busy event is increasing significantly. You are in the process of creating another OLTP database with similar workload. What would you do to avoid the wait event in the new database? A. Consider setting a larger value for DB BLOCK SIZE for the database. B. Consider setting a smaller value for DB BLOCK SIZE for the C. Consider setting a larger value for the DB_CACHE_SIZE parameter for the database. D. Consider using the DB BLOCK BUFFERS parameter instead of the DB CACHE SIZE parameter for the database. Answer: B QUESTION 14 View the Exhibit and examine the highlighted entry. You added a call to the oraenv script in a user's login script. Which two statements are true about this entry? (Choose two.) aracle@incq101f: Oracle specific settings export ORACLE HOME=/oracle export ORACLE SID=orc121

A. The entry will run the oraenv script in the current shell. B. The entry will prompt the user for ORACLE_SID that the user wants to set. C. The entry will call another script orainst to verify Oracle environment variables. D. The entry will set up the ORACLE_HOME environment variable without prompting the user. Answer: AB QUESTION 15 View the Exhibit and examine the partial content from the /proc/meminfo file. Which statement is true regarding the SwapCached value in the output?

ort PATH=\$PATH: \$ORACLE HOME/bin

Braindump2o

Buffers:	100472	kB
Cached:	674984	kB
SwapCached:	15840	kB
Active:	756528	kB
ActiveAnon:	322432	kB
ActiveCache:	434096	kB
Inact_dirty:	151224	kB
Trect leundry	U 05.8850	trcom
Inact target:	190660	997
HighTotal:	129472	kB
HighFree:	2108	kB
LowTotal:	896500	kB
LowFree:	14316	kB
SwapTotal:	2048276	kB

A. This is the amount of swap free memory. B. This is the memory allocated for the C. This is the memory waiting to be written back to the disk. D. This is the memory that can be overwritten without being swapped out because it is already in the swap file. Answer: D QUESTION 16 You updated the content of the /etc/fstab file in the system for the directory that contains the Oracle database files, with the following highlighted change: /dev/hdb4 /u1/app/oracle/ ext3 rw,noatime 1 1 The purpose of this change is to . A. reduce the number of I/Os B. enable asynchronous I/O in the C. avoid the use of shared memory file system D. calculate the file system checksum before writing the data block to disk Answer: A QUESTION 17 You recently joined a company as a DBA. You have the Oracle Database 10g software already installed on Linux machine. You want to know the following information: record of the Oracle software installed on the machine 2) The operating system (OS) group that owns the Oracle software would you do to find this information? A. \ \&Wiew the contents of the /etc/oratab file. B. View the contents of the /etc/oraInst.loc file. C. View the contents of the OracleHomeList.ser file in the /u01/app/oracle/oraInventory directory. D. Wiew the contents of the oraInstaller.properties file in the /u01/app/oracle/oraInventory directory. Answer: B QUESTION 18 A portion from the output of the sar -B 2 3 command is shown below: 02:48:16 AM inadtypg inaclnpg inatarpg 02:48:18 AM 34328 4370 45428 AM 34329 4366 45431 02:48:22 AM 34331 4366 45512 Average: 34329 4367 45457 Which statement describes the significance of the value in the inatarpg column, if it is growing consistently? A. The demand rate for physical memory is increasing. B. The active use of page cache memory is decreasing. C. The amount of physical RAM left unused by the system is increasing. D. There are enough number of inactive pages available in physical memory. Answer: A OUESTION 19 What are the two advantages of using a file system that supports journaling characteristics on a Linux machine? (Choose two.) A. It provides increased security from unauthorized user access. B. It enables you to recover from a file system crash by C. It makes the booting process faster because the fsck command checks the file system quickly using a journal file. D. It makes database write operations fast because writes to the disk are verified by the file system not by the Oracle database. Answer: BC QUESTION 20 View the Exhibit and examine the parameters. You receive the following error while starting the Oracle database instance: ORA-00385: cannot enable Very Large Memory with new buffer cache parameters How can you solve this problem?

db_16k_cache_size

db_32k_cache_size

db 2k cache size

db_4k_cache_size

db 8k cache size

db cache advice

buffer_pool_keep

db_block_buffers

log_buffer

sqa tarqet

buffer pool recycle

object_cache_optimal_size

use indirect data buffers

session_cached_cursors

db cache size

VALU

ON

10

20

0

n

TRUE

1024

big integer 0

big integer 0

big integer 0

big integer 0

big integer O

big integer 1047

string

integer

integer

string

string

integer

integer

boolean

big integer 0

db_recycle_cache_size_percent integer 0 object_cache_max_size_percent integer 10

A. Implement hugepage in the system. B. Set the SGA_TARGET parameter to a nonzero value. C.