

## (2016.6 NEW)200-310 Latest Dumps Free Download from Braindump2go 100% 200-310 Certification Got(NQ41-NQ50)

**!!!2016 Cisco Official New!!! CCDA 200-310 - Designing for Cisco Internetwork Solutions (DESGN) Exam PDF and VCE Dumps with New 200-310 Exam Questions Updated Today in Braindump2go.co for Free Instant Download! 100% Exam Pass**  
Guaranteed!NEW QUESTION 41 - NEW QUESTION 50: 2016 Latest Cisco 200-310 PDF Dumps & 200-310 VCE Dumps 277q Download:<http://www.braintdump2go.com/200-310.html> 200-310 PDF & 200-310 VCE 277Q&As Dumps - Google Drive:<https://drive.google.com/folderview?id=0B272WrTALRHcWEt3eDd0a0dqQ00&usp=sharing> 100% Exam Pass Promised by Braintdump2go.com!!! QUESTION 41Which three sources does a network designer use to collect information for characterizing an existing network? (Choose three.) A. staff inputB. visual inventoryC. network auditD. traffic analysisE. server statistics Answer: ACD QUESTION 42What is the primary consideration when choosing a routed network design over a traditional campus network design? A. Layer 3 service support at the network edgeB. the routing protocol choice: open (OSPF) or proprietary (EIGRP)C. the routing abilities of the host devicesD. the need to control the broadcast domains within the campus core Answer: A QUESTION 43Which statement is true concerning the data center access layer design? A. The access layer in the data center is typically built at Layer 3, which allows for better sharing of services across multiple servers.B. With Layer 2 access, the default gateway for the servers can be configured at the access or aggregation layer.C. A dual-homing NIC requires a VLAN or trunk between the two access switches to support the dual IP addresses on the two server links to two separate switches.D. The access layer is normally not required, as dual homing is standard from the servers to the aggregation layer. Answer: B QUESTION 44 Which statement is true concerning the data center distribution (aggregation) layer design? A. With Layer 3 at the aggregation layer, the physical loops in the topology must still be managed by STP.B. The boundary between Layer 2 and Layer 3 must reside in the multilayer switches, independent of any other devices.C. A mix of both Layer 2 and Layer 3 access is the most optimal.D. In a small data center, the aggregation layer can connect directly to the campus core, exchanging IP routes and MAC address tables. Answer: C QUESTION 45When considering the three VoIP design models - single site, centralized multisite, and distributed multisite - which question below would help to eliminate one of the options? A. Will the switches be required to provide inline power?B. Will users need to make offsite calls, beyond the enterprise?C. Will users require applications such as voice mail and interactive voice response?D. Are there users whose only enterprise access is via a QoS-enabled WAN? Answer: D Answer: QUESTION 46With deterministic Wireless LAN Controller redundancy design, the different options available to the designer have their own strengths. Which statement is an example of such a strength? A. Dynamic load balancing, or salt-and-pepper access point design, avoids the potential impact of oversubscription on aggregate network performance.B. N+N redundancy configuration allows logically grouping access points on controllers to minimize intercontroller roaming events.C. N+N+1 redundancy configuration has the least impact to system management because all of the controllers are colocated in an NOC or data center.D. N+1 redundancy configuration uses Layer 3 intercontroller roaming, maintaining traffic on the same subnet for more efficiency. Answer: B QUESTION 47When there is a need for immunity to EMI for connecting locations that are greater than 100 meters apart, which two solutions can be utilized? (Choose two.) A. multimode fiberB. Fibre ChannelC. HVDC transmission linesD. single-mode fiberE. serial RS-232F. Gigabit Ethernet 1000BASE-CX Answer: AD QUESTION 48Which mode is used to exclusively look for unauthorized access points? A. monitor modeB. sniffer modeC. rogue detector modeD. local mode Answer: C QUESTION 49Application servers require load balancing and security services. Where in the data center network should these services be provisioned? A. coreB. aggregationC. Layer 3 accessD. distribution Answer: B QUESTION 50A data center is reaching its power and cooling capacity. What two virtualization technologies can address the problem by directly reducing the number of physical devices? (Choose two.) A. virtual switching systemsB. virtual device contextsC. virtual serversD. virtual routing and forwardingE. virtual port channelsF. virtual LANs Answer: BC Recommend!!! Valid Braintdump2go Cisco 200-310 Exam Dumps with PDF and VCE 277q Dumps Download: <http://www.braintdump2go.com/200-310.html> [100% Exam Pass Guaranteed!] More Cisco 200-310 Exam Questions and Answers - Google Drive: 1.|Cisco 200-310 Exam Dumps and 200-310 Exam Questions 277q Download:  
<https://drive.google.com/folderview?id=0B272WrTALRHcSFFvVDhqNHJNUVE&usp=sharing> 2.|Cisco 200-310 Exam VCE and PDF Dumps Download: <https://drive.google.com/folderview?id=0B272WrTALRHcSUhiTUpabWZfYTg&usp=sharing>