

[July-2023PL-100 Dumps Free Download in Braindump2go[Q89-Q125]

July/2023 Latest Braindump2go PL-100 Exam Dumps with PDF and VCE Free Updated Today! Following are some new Braindump2go PL-100 Real Exam Questions!QUESTION 89A company plans to roll out several Power Apps apps to multiple business units across international operations. The apps must be managed through an application lifecycle management (ALM) solution to provide a consistent and predictable use experience. All changes to the app must be traceable and documented in a single location. You must be able to revert to a previous version of an app. The app release cycles must be as streamlined as possible. You need to create an application for the apps. Which two tools should you use? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point. A. Microsoft Azure DevOps B. Microsoft Visual Studio C. Lifecycle Services D. AppSource E. Common Data Service Answer: AE Explanation: DevOps is the combining of two historically disparate disciplines: software development and IT operations. The primary goal of DevOps is to shorten the software development lifecycle and provide continuous integration and continuous delivery (CI/CD) with high software quality. You can use Power Apps build tools to automate common build and deployment tasks related to Power Apps if your DevOps platform is Azure DevOps. To use the features and tools available for ALM, all environments that participate in ALM must include a Dataverse database. Reference:

<https://docs.microsoft.com/en-us/power-platform/alm/overview-alm>

<https://docs.microsoft.com/en-us/power-platform/alm/new-project-alm>

<https://docs.microsoft.com/en-us/power-platform/alm/overview-alm#alm-for-power-apps-power-automate-power-virtual-agents-and-dataverse> QUESTION 90A company is consolidating communications processes by using Microsoft Teams and Microsoft Power Platform technologies. A Power Automate flow monitors social media channels to identify high-impact trends. When the Power Automate flow identifies the trends, consistently formatted and standardized feedback must be collected from the channel members within Teams. You need to streamline the Power Automate and Teams communication process. What should you use? A. AI Builder B. Common Data Service business process flows C. Adaptive cards D. Integrated approval flows Answer: CE Explanation:

Consistently formatted and standardized feedback must be collected from the channel members within teams. Reference: <https://docs.microsoft.com/en-us/power-automate/create-adaptive-cards> QUESTION 91 You are developing a canvas app to monitor time. The app includes a Text Input control named TIC1 and a Timer control named TIM1. You need to set TIM1 to a default value. What should you do? A. In the OnChange property of TIC1, set the value of the Text property for TIC1 to a context variable that stores the duration value. Assign the value of the variable to the OnTimerStart property for TIM1. B. Assign the Text property of TIC1 to the Duration property of TIM1. C. Assign the Text property of TIC1 to the OnSelect property of a TIM1. D. Add the clock icon to the app and use the OnSelect property to set the Duration property for TIM1. Answer: BE Explanation: How to enter the Default Duration? When you add a Timer Control, the Default Duration is 6000. To assign a custom duration you need to input/specify the duration. QUESTION 92 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You are creating a canvas app. You need to automatically detect bicycles in pictures taken with the camera. Proposed solution: - Create an Object Detection custom model in AI Builder. - Train the model with pictures of bicycles and then publish the trained model. - Add the Object Detector control to your canvas app. Does the solution meet the goal? A. Yes B. No Answer: AE Explanation: To train an object detection model to recognize your objects, you have to gather images that contain those objects. The first thing you'll do when you create an AI Builder object detection model is to define its domain. Upload images Then Train and publish your object detection model The object detector component takes a photo or loads an image file to do an object detection scan. On a mobile device, the user chooses between taking a photo or selecting one already available in the device user interface. When an image is selected, the component automatically scans it to identify objects. Reference: <https://docs.microsoft.com/en-us/ai-builder/prediction-overview>

<https://docs.microsoft.com/en-us/ai-builder/object-detector-component-in-powerapps> QUESTION 93 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You are creating a canvas app. You need to automatically detect bicycles in pictures taken with the camera. Proposed solution: - Create a Prediction custom model in AI Builder. - Train the model with pictures of bicycles and then publish the trained model. - Add the Object Detector control to your canvas app. Does the solution meet the goal? A. Yes B. No Answer: BE Explanation: Instead create an Object Detection custom model Note: AI Builder prediction models analyze patterns in historical data that you provide.

Prediction models learn to associate those patterns with outcomes. Then, we use the power of AI to detect learned patterns in new data, and use them to predict future outcomes. Reference: <https://docs.microsoft.com/en-us/ai-builder/prediction-overview>

QUESTION 94 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You are creating a canvas app. You need to automatically detect bicycles in pictures taken with the camera. Proposed solution: - Create a Category Classification custom model in AI Builder. - Train the model with pictures of bicycles and then publish the trained model. - Add the Object Detector control to your canvas app. Does the solution meet the goal? A. Yes B. No Answer: B Explanation: Instead create an Object Detection custom model Reference: <https://docs.microsoft.com/en-us/ai-builder/prediction-overview> <https://docs.microsoft.com/en-us/ai-builder/object-detector-component-in-powerapps>

QUESTION 95 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles. Development and testing must be performed using production data. Multiple testers must be used at each testing stage. You need to provision and configure new environments for development and testing. Solution: - Provision sandbox environments named S1 and S2. - Copy the production environment to both S1 and S2. - Use S1 for development and S2 for testing. Does the solution meet the goal? A. Yes B. No Answer: A Explanation: A sandbox environment is any non-production environment of Microsoft Dataverse. Isolated from production, a sandbox environment is the place to safely develop and test application changes with low risk. Reference: <https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

QUESTION 96 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles. Development and testing must be performed using production data. Multiple testers must be used at each testing stage. You need to provision and configure new environments for development and testing. Solution: - Provision a trial environment named T1 and a sandbox environment named S1. - Copy the production environment to T1 and S1. - Use T1 for development and S1 for testing. Does the solution meet the goal? A. Yes B. No Answer: B Explanation: Using trial environments, companies and customers can try out new features and solutions. Do not use a trial environment for development. A sandbox environment is any non-production environment of Microsoft Dataverse. Isolated from production, a sandbox environment is the place to safely develop and test application changes with low risk. Reference: <https://docs.microsoft.com/en-us/power-platform/admin/trial-environments> <https://docs.microsoft.com/en-us/power-platform/admin/sandbox-environments>

QUESTION 97 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles. Development and testing must be performed using production data. Multiple testers must be used at each testing stage. You need to provision and configure new environments for development and testing. Solution: - Provision production environments named P1 and P2. - Copy the current production environment to P1 and P2. - Use P1 for development and P2 for testing. Does the solution meet the goal? A. Yes B. No Answer: B Explanation: Production: This is intended to be used for permanent work in an organization. Don't use production environment for development and testing. Reference: <https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

QUESTION 98 You have a Power Platform solution that uses Common Data Service. You need to secure all fields that support field-level security. Which field can you secure? A. createdon B. accountid C. owninguser D. description Answer: D Explanation: Which fields can be secured? Although most attributes can be secured, there are system attributes, such as IDs, timestamps, and record tracking attributes, that can't. Below are a few examples of attributes that can't be enabled for field security. ownerid, processid, stageid, accountid, contactid, createdby, modifiedby, OwningTeam, OwningUser, createdon, EntityImage_Timestamp, modifiedon, OnHoldTime, overriddencreatedon, statecode, statuscode Note: There are several versions of this question in the exam. The question has two possible correct answers: 1.

cr7b_accountid2. descriptionOther incorrect answer options you may see on the exam include the following:- statecode- modifiedby
Reference:<https://docs.microsoft.com/en-us/power-platform/admin/field-level-security>QUESTION 99A company is onboarding new workers to the Microsoft Power Platform.A user reports an access issue with a Power Apps app. The user provides no additional information about the access issue.You need to troubleshoot the app and data security configurations for the user.Which tool should you use?A. Azure AD Security reviewB. User information pageC. Accessibility checkerD. Run diagnosticsAnswer: D
Explanation:User access diagnostic tool in the Power Platform admin center:Several factors influence user access in a Microsoft Dataverse environment. To help administrators with diagnosing user access to an environment and reasons for access or no access, the new "Run diagnostics" feature in the Power Platform admin center provides basic access diagnostics for individual users in the environment. The feature helps to detect potential causes to user sign-in and other issues and suggests potential mitigations.
Reference:<https://docs.microsoft.com/en-us/power-platform/admin/troubleshooting-user-needs-read-write-access-organization>QUESTION 103You are customizing an app for a client. The app displays customer data, including an annual revenue figure column for each customer.All users need to have access to the customer records, but the data in the annual revenue figure column is considered to be sensitive, and only the customer manager should be able to view it.Which tool should you use to satisfy these requirements?A. Hierarchy securityB. Field-security profilesC. Security rolesD. Organization settingAnswer: BExplanation: You should use field-security profiles to restrict access to a specific column. Field-security profiles provide functionality around restricting access to specified columns. You can either restrict who can view a column on a record, or who can modify the data held in the column. Field-security profiles are set up by system customizers. When you set up a profile, you need to add users to it in order to give them access to the column. You do this through the field-security profile.You should not use hierarchy security. Hierarchy security extends the standard security models to allow traversing records to user managers. It can be used alongside the existing security items such as roles, teams, and sharing. It provides more granular access to records for companies and helps with reducing the time needed for administration of security requirements. It cannot be used to control who can see or edit a specific column on a record.You should not use a security role. This controls access to the entire record rather than to a specific column on the record.You should not use an organization setting. This controls general security permissions rather than specific column permissions on records.QUESTION 104You are designing canvas apps for use with mobile devices. You want to include AI Builder prebuilt models where appropriate to add intelligence to your apps.You need to identify the prebuilt models that can be added to a screen in Power Apps canvas apps.Which three AI Builder prebuilt model components are available for use with canvas apps? Each correct answer presents a complete solution.A. Language detectionB. Object detectorC. Text recognizerD. Business card readerE. Text translationF. Receipt processorAnswer: CDFExplanation:The following prebuilt model components are available for use with canvas apps:- Business card reader- Receipt processor- Text recognizerThese components are ready for use and do not require you to train the component. The Business card reader is also supported for use with model-driven apps.The Object detector is supported for canvas apps, but this is a custom model instead of a prebuilt model. This means you must train the model with your data and publish the model before it can be used.The Text translation prebuilt model is supported for Power Apps. It is supported for Power Automate only to add intelligence to flows.The Language detection prebuilt model cannot be added to a canvas app screen but can be accessed using the formula bar.QUESTION 117You complete work on a new canvas app in a development environment and add the app to a solution. You export the solution from the development environment and import the solution into a production environment.After several days you notice that the background color for the canvas app in the production environment has changed from white to grey.You need to determine why the background color changed.What are two possible causes for the background color change? Each correct answer presents a complete solution.NOTE: Each correct selection is worth one point.A. You recently changed the Office 365 theme.B. You exported a managed copy of the solution and imported the solution as an unmanaged solution. You modified the canvas app in the unmanaged solution.C. You exported and imported an unmanaged copy of the solution and a co-worker modified the canvas app.D. You chose a different theme from the Theme menu inside the canvas app.Answer: CDEExplanation:You need to alter the power app theme not just Office 365 theme.Unmanaged Solution: The beginning state of solution is the unmanaged solution state. During this phase, you can add, edit, update, remove, delete, and test any of the components of the solution. You also have the ability to create restrictions on the components within the solution.Note: Managed Solution: A managed solution is a finalized solution that can be distributed and installed.They are created by exporting an unmanaged solution by setting restrictions to prevent any further customizations. The whole point of Managed is locking down the Component states so they cannot be edited.Reference:
<https://powerusers.microsoft.com/t5/Power-Apps-Pro-Dev-ISV/Managed-vs-Unmanaged/td-p/495685>
<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/create-themes-organization-branding>QUESTION 118You have a Power Automate flow that processes files in a Microsoft SharePoint document library. The flow only needs to be run as

required. You add steps to the flow to process the files. Before leaving the office for the day, the manager must initiate the flow. The flow must not start processing files before 11:00 PM. You need to configure the flow. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

A. Add a recurrence trigger and configure to run daily at 11:00 PM.

B. Add a Condition action. If the time greater than 11:00 PM use a Terminate action prevent further processing.

C. Manually trigger the flow.

D. Add a Delay Until action and enter the timestamp for 11:00 PM.

Answer: CD

Explanation: Delay an action until a specific timestamp. Note: The Microsoft Dataverse connector provides four ways to add wait conditions. Use these wait conditions when you need to delay processing in your flows until a particular condition is met.

- Postpone triggering the flow and the first action until a specific time: Wait condition using Postpone Until.
- Add a fixed delay before the next step.
- Delay an action until a specific timestamp.
- Delay an action until a specific event occurs.

Reference:

<https://docs.microsoft.com/en-us/power-automate/dataverse/wait-conditions>

QUESTION 119 You are creating a canvas app for a company that delivers packages. The app will display one screen for each delivery attempt. Drivers must make three attempts to deliver a package before returning the package back to a warehouse. Drivers must enter details about delivery on a second screen in the app. You need to display a list of delivery attempts on the delivery screen. Which two components can you add to the app to display details about the delivery attempts? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

A. Data table

B. Vertical gallery

C. Display form

D. Drop-down

Answer: AB

Explanation: It should be Data table or Vertical Gallery and any of them when you click it will show delivery details.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-data-table>
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-form-layout>

QUESTION 120 You create an automated flow by using Power Automate. The flow appears under My Flows and is connected to the development environment. The development environment has a solution to move components into a production environment. You need to ensure that you can transfer the flow to another environment. What should you do?

A. Add the flow to the default solution of the development environment and export as a managed solution.

B. Change the environment for the flow.

C. Add the flow to the existing solution.

D. Add the flow to the default solution of the production environment.

Answer: C

Explanation: The default solution can't be exported; therefore, you can't distribute the default solution to another environment.

Reference:

<https://docs.microsoft.com/en-us/power-platform/alm/use-solutions-for-your-customizations>

QUESTION 121 A company is implementing the Microsoft Power Platform to assist with consolidation of onsite inspections and audits of retail stores. Currently, the data used by the retail store inspections is located across multiple systems. The canvas app must use one database to view and record all data used in the inspection process. You need to design the solution. Which three capabilities should you implement? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

A. Use an embedded access management framework for user security.

B. Execute real-time data operations against external data sources through virtual entities.

C. Use Azure Active Directory for access management.

D. Store data used by a Power Apps app on both iOS and Android mobile platforms.

E. Use Azure Data Lake storage to host the transactional data.

Answer: BCE

Explanation: B: Virtual tables (also known as virtual entities) enable the integration of data residing in external systems by seamlessly representing that data as tables in Microsoft Dataverse, without replication of data and often without custom coding.

CE: Authenticating to a Gen 1 Data Lake Store Account

Gen 1 uses OAuth 2.0 in Azure AD for authentication.

Reference:

<https://www.cdata.com/kb/tech/azuredatalake-odata-powerapps.rst>

QUESTION 122 You are using Test Studio to test a Power Apps canvas app. You need to ensure that the app conforms to several use cases. What should you do first?

A. Save the app to the cloud.

B. Create test cases for each requirement.

C. Save the app to your computer.

D. Create a test suite.

E. Record test cases for each requirement.

Answer: D

Explanation: Create a test suite. By default, a test suite and test case are created for you in Test Studio. Test suites are used to organize your test cases.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-test-studio>

QUESTION 123 A company uses Microsoft platforms for all accessibility, compliance, and security auditing. The auditing and compliance division of the company flags a newly created Power Apps canvas app due to accessibility issues. The app must be unpublished until it conforms to Microsoft accessibility requirements and recommendations. You need to identify all accessibility issues for a solution. What should you use?

A. Microsoft Accessibility Conformance Reports

B. Microsoft Compliance Center

C. Power Apps Studio

D. Microsoft Accessibility Guides

E. Microsoft Visual Studio

Answer: C

Explanation: Find accessibility issues

In the upper-right corner of Power Apps Studio, select the icon for the App checker. App checker icon.

In the menu that appears, select Accessibility. A list of issues appears, sorted first by severity and then by screen. Select the arrow next to an item to show details about it. Accessibility checker details. Select the back arrow to return to the list of items. If you decide to address an issue, select it to open the affected property. After you change one or more properties, select Re-check to update the list of issues. Resolved items disappear from the list, and new

items may appear. Incorrect Answers: A: Microsoft publishes conformance reports that describe how our products map to accessibility requirements, such as Section 508, WCAG 2.0, and EN 301 549. B: The Office 365 Security & Compliance Center is designed to help organizations manage compliance across Office 365 including protecting data and complying with legal and regulatory standards. Reference: <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker>

<https://support.microsoft.com/en-us/accessibility/enterprise-answer-desk> QUESTION 124 You have a Power Apps solution that includes three model-driven apps, a business process flow, and a scheduled flow. The solution is deployed to a datacentre in the United States. You plan to deploy the solution to Canada. You need to identify applicable government regulations for all components of the solution. Which three actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point. A. View results in the Service Trust portal. B. Check the results of the Solution checker. C. Identify regulations for the region where the tenant resides. D. Identify all regulations for the region where the Common Data Service database resides. E. Configure data loss prevention (DLP) policies in the Power Platform Admin center. Answer: ACE

Explanation: The Microsoft Service Trust Portal provides a variety of content, tools, and other resources about Microsoft security, privacy, and compliance practices. The CDS is pretty much the same everywhere but its the tenant and the regional regulations we should be checking. Reference: <https://docs.microsoft.com/en-us/microsoft-365/compliance/get-started-with-service-trust-portal> QUESTION 125

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles. Development and testing must be performed using production data. Multiple testers must be used at each testing stage. You need to provision and configure new environments for development and testing. Solution: - Provision a developer environment named D1 and a sandbox environment named S1. - Copy the production environment to both D1 and S1. - Use D1 for development and S1 for testing. Does the solution meet the goal? A. Yes B. No Answer: B

Explanation: Production: This is intended to be used for permanent work in an organization. Do not use production environment for testing. Note: Instead use two sandboxed environments: one for development and one for testing. Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview> Resources From: 1. 2023 Latest Braindump2go PL-100 Exam Dumps (PDF & VCE) Free Share: <https://www.braindump2go.com/pl-100.html> 2. 2023 Latest Braindump2go PL-100 PDF and PL-100 VCE Dumps Free Share:

https://drive.google.com/drive/folders/1CfAvf7OxWF4SYkHSmhCQ9pz7BFVq33_3?usp=sharing 3. 2023 Free Braindump2go PL-100 Exam Questions Download: [https://www.braindump2go.com/free-online-pdf/PL-100-PDF-Dumps\(89-125\).pdf](https://www.braindump2go.com/free-online-pdf/PL-100-PDF-Dumps(89-125).pdf) Free

Resources from Braindump2go, We Devoted to Helping You 100% Pass All Exams!